Built in Sweden

No.1 DISSID

An ode to classic design. The No.1 Classic was built by hand and made with a passion for when machines were made to last.

RGNT

No.1 Classic

An ode to classic design. The RGNT No.1 Classic was built by hand and made with a passion for when machines were made to last.

Top speed 120 km/h

Contraction of the local division of the

RGNT


Peak Power 11 kW

Range

120 km




Charge Time 3,5 h (20 - 80%)



01. CRAFTED IN SWEDEN

Handmade and built to last.

We've engineered each bike with the same robust quality of the early days - when machines were made to last. From bolt to brakes, every bike is manufactured by hand at our factory in Kungsbacka, Sweden.




02. TIMELESS AND CLASSIC

Inspired by the past.

It's a timeless style that stands the test of time. Designed to relive the past, from hand-structured leather to high-density steel frames we've modernised each feature while keeping the old charm intact.


03. ADVANCED INNOVATION

Focused on the future.




04. INNOVATION

Powered by worldclass technology.



Our bikes roll straight out of the factory with LCD touch displays, cloud connectivity, GPS and OTP functionality. Giving you the essential features to simplify city-life and simply ride.

Simply city-life with innovation at your fingertips. NO.1 features a TRT display and cloud connectivity giving you OTA updates and 4G accessibility as you silently ride through back alleys and roundabouts.



Full specs

With a handcrafted leather seat, robust steel frame and simple chargeability, the No.1 gives you the freedom to simply ride.

GENERAL

Weight Bike: 159 kg. Weight Battery: 60 kg (unmountable) Frame: High density Steel frame, powder coated. License requirements, EU: A1. Vehicle class: L3e.

CHARGING

Charger for standard 110/220V wall outlets. Charging time 20-80%: 3,5h.

DASHBOARD

7" LCD touch display. Toradex board. Cloud connectivity. GPS.

LIGHTS

Motogadget LED Indicators. LED headlight. Classic taillight.

WHEELS

Front Hub: Aluminum. Rim: 18x1.85" chromed steel. Tire: Avon Roadrider tires 90/90-18".

Rear

Hub: Aluminum. Rim: 17x2,5" chromed steel. Tire: Avon Roadrider 120/80-17".

MEASUREMENTS

Length: 2,110 mm. Width: 835 mm. Height: 1,056 mm. Wheelbase: 1,408 mm. Seat Hight: 830 mm.

DRIVE-TRAIN

Peak Power: 11 kW. Continuous power: 8,5 kW. Type: Hub motor, rear.

SUSPENSION Front: Paioli, 35 mm Ceriani replica, 120 mm travel. Rear: Paioli, Gas shocks, 340 mm eye to eye, adjustable spring pre-load.


BRAKES Hand levers for both front and rear brake.

Front J.Juan CBS Brake System (Combined Brake System). Disc: 300 mm diameter floating Disc, 5 mm thickness stainless steel. Brake pads: Sinterd.

Rear J.Juan CBS Brake System (Combined Brake System). Disc: 220 mm disc 4 mm thickness stainless steel. Brake pads: Sinterd.

Ш

Enjoy the Ride



rgnt-motorcycles.com
#myRGNT | #rgntmotorcycles